	Application No.	Applicant(s)
Notice of Allowability	09/446.323	SANNER, STEFAN
	Examiner	Art Unit
	Paul S. Hyun	1743
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed on 06 April 2007</u> .		
2. The allowed claim(s) is/are 13-18 and 23.		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informa	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amer	ndment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's State	ment of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

REMARKS

Claims 13-18 and 23 remain pending. Applicant amended claims 13 and 14.

The amended Specification has been acknowledged and accepted.

Consequently, the objection to the Specification has been withdrawn.

Allowable Subject Matter

Claims 13-18 and 23 are allowed.

The following is an examiner's statement of reasons for allowance:

Test units comprising a cartridge, a testing means and a sample chamber disposed within a housing are well known in the art. Smith et al. (US 4,534,939) disclose such a test unit. However, prior art does not disclose a test unit comprising the claimed sample-taking means. Prior art does not disclose a sample-taking means comprising two half-tubes capable of pivoting between two positions disposed within a housing. This feature of the claimed invention is patentably distinct because it facilitates sample collection.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul S. Hyun whose telephone number is (571)-272-8559. The examiner can normally be reached on Monday-Friday 8AM-4:30PM.

Art Unit: 1743

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (571)-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PSH 4/12/07

Supervisory Patent Examiner Technology Center 1700